

What is claimed is:

1. An image correction apparatus which corrects an image based on preference of a user, comprising:

5 a user preference obtaining unit outputting images at two or more correction levels as corrected images for (a given image), and allowing a user to select a preferred corrected image; and

10 a image correction unit correcting an image to be corrected which is different from (the given image) based on a selection result from the user.

2. The apparatus according to claim 1, wherein

15 said given image~~s~~ are a plurality of images, and said user preference obtaining unit outputs images at two or more correction levels corresponding to the plurality of given images to allow the user to select preferred corrected images.

20 3. The apparatus according to claim 2, wherein

said plurality of given images are different in type, and said user preference obtaining unit allows the user to selects preferred corrected image corresponding to each type.

25

4. The apparatus according to claim 1, wherein
said given image is stored in advance in an
image correction unit as an image of quality
generally preferred by a large number of users.

5

5. The apparatus according to claim 1, further
comprising

a user specified image input unit receiving a
user specified image as the given image.

10

6. The apparatus according to claim 1, wherein
said user preference obtaining unit requests a
user to input a user identifier for identification
of the user, and allows each user to select a
preferred corrected image.

15

7. The apparatus according to claim 1, wherein:
said user preference obtaining unit prints and
outputs images at two or more correction level; and
said apparatus further comprises a image
printing unit printing and outputting an image to
be corrected which has actually been corrected by
said image correction unit.

20

25 8. An image correction apparatus which corrects

an image based on preference of a user, comprising:

a user corrected image obtaining unit outputting a predetermined image, and allowing a user to correct the output image; and

5 an image correction unit correcting an image to be corrected which is different from the predetermined image based on an correction result of the user.

10 9. The apparatus according to claim 8, wherein said predetermined images are a plurality of images, and said user corrected image obtaining unit allows a user to correct each of the plurality of output images.

15 10. The apparatus according to claim 9, wherein said plurality of predetermined images are images of different types, and said user corrected image obtaining unit allows a user to correct each
20 of the images of the different types.

11. The apparatus according to claim 8, further comprising

25 a user specified image input unit receiving a user specified image as the predetermined image.

12. The apparatus according to claim 8, wherein
an image of quality generally preferred by a
large number of users is stored in said image
5 correction apparatus.

13. The apparatus according to claim 8, wherein
said user corrected image obtaining unit
requests a user to input an identifier for
10 identification of the user, and allows each user to
correct an output image.

14. The apparatus according to claim 8, further
comprising
15 a user corrected image printing unit
performing a trial printing process at an
instruction of a user on an correction result
obtained from the predetermined output image.

20 15. An image correcting method for correcting an
image based on preference of a user, comprising:
outputting images at two or more correction
levels as corrected images for a given image, and
allowing a user to select a preferred corrected
25 image; and

correcting an image to be corrected which is different from the given image based on a selection result from the user.

- 5 16. An image correcting method for correcting an image based on preference of a user, comprising:

outputting a predetermined image, and allowing a user to correct the output image; and

- 10 correcting an image to be corrected which is different from the predetermined image based on an correction result of the user.

- 15 17. A computer-readable storage medium storing a program used to direct a computer to perform the steps of:

outputting a predetermined image, and allowing a user to correct the output image; and

- 20 correcting an image to be corrected which is different from the predetermined image based on an correction result of the user.

18. An image correction apparatus which corrects an image based on preference of a user, comprising:

- 25 user preference obtaining means for outputting images at two or more correction levels as

Year	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	

5